

SUN COOL
FABRICS

ZIPPER SCREEN 60

OPENNESS FACTOR 6%
SCREEN FABRIC

Sundance
Window Coverings


With bold color choices and a clean 1x1 basketweave construction, Zipper Screen offers undeniable style with excellent views from the inside out. The fabric also has fiberglass core yarns, so it is extra durable when used in exterior applications and when exposed to the outside elements. Keep your exterior window shades secure and eliminate light gaps when used in an outdoor, zipper screen application.




ROLLER
SHADES




ROMAN
SHADES



PANEL
TRACKS




SKYLIGHT
TRACKS




BLACK/GRAY

SC-EI-607




RED/RED

SC-EI-604




GREEN/GREEN

SC-EI-605



BLACK/BRONZE

SC-EI-606



BLACK/BLACK

SC-EI-608

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	38% Fiberglass + 62% PVC
ROLL WIDTH	126"
ROLL LENGTH	33 yd
WEIGHT / YD ²	16.81 oz/yd ²
THICKNESS	.020" ± 5%
COLOR FASTNESS	8 Grade (SGS)
YARN COUNT	40*24
BREAKING STRENGTH	Warp 2000 N/5cm Weft 1800 N/5cm

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA TITLE 19	OEKO-TEX® STANDARD 100	UL GREENGUARD GOLD	ROHS COMPLIANT	10 YEAR WARRANTY	ASTM G-21 & E-2180	NFPA® 701-TM
FLAME RETARDANT	FREE OF HARMFUL CHEMICALS	HEALTHY INDOOR AIR QUALITY	FREE OF HARMFUL METALS	QUALITY GUARANTEED	BACTERIA & FUNGAL RESISTANCE	FIRE RETARDANT

Sundance
Window Coverings