

Sundance Window Coverings


LONDON

LIGHT-FILTERING (L/F) <1% OPENNESS FACTOR BLACKOUT (B/O) 0% OPENNESS FACTOR

DECORATIVE

By overlapping warm and cool colored yarns in varying horizontal locations, London becomes a chic fabric reminiscent of natural grasscloth. The texture of London is complex, beautiful, and perfect for modern hospitality installations or residential interiors.





(

RC) LLE	R
SH	AD	ES



PA NE L TR AC KS

RO MA N SH AD ES



SK YLIGHT TR AC KS

R AC KS

sundancedecor.com

ERREFERENCE A STATUTE OF AS AND YN YN YN YN YMANNAWR MANNAWR MANNYN MINN AR LLLLA A RALLAR AR THE RENTITION CONTRACTOR OF THE REPORT OF TH The second state of the second s A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY AND A REAL PROPERTY AND A REAL PRO Territoria and the second s Contraction of the state of the Appropriate the second s ALL Survey and ALL ALL STATE AND ALL AND A ASPERTE STATES -------THE RECOMMENDATION OF THE REFERENCE OF THE and the second in the party of the second second The second the state of the s Contraction of the second s


HAMPTON BEIGE

(L/F) 1103 (B/O) 1903

TOWER TAUPE (L/F) 1104 (B/O) 1904

SILVER BRIDGE (L/F) 1107 (B/O) 1907

* (L/F) stands for light-filtering and (B/O) stands for blackout



sundancedecor.com

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	100% Polyester
ROLL WIDTH	118″
ROLL LENGTH	33 yd
WEIGHT / YD ²	(L/F) 6.92 oz/yd² $$ (B/O) 12.52 oz/ yd² $$
THICKNESS	(L/F) .020" ± 5% (B/O) .026" ± 5%
COLOR FASTNESS	4.5 (AATCC 16-2003)

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

